



ENERG

енергия · ενεργεια



TIKI

AMS10-8 + SHB10-12



55 °C

35 °C



A++

A++



35 dB



55 dB

■ 10
■ **07**
■ 08
kW

■ 09
■ **08**
■ 08
kW





ENERG

енергия · ενεργεια

Y


IJA

IE

IA

TIKI

AMS10-8 + SHB10-12



A⁺⁺

A⁺⁺⁺

A⁺⁺

A⁺⁺

A⁺

A

B

C


D

E

F

G

+



+



+




+



Supplier's name:	TIKI		
Model:	AMS 10-8 + SHB10-12		
Temperature application	35	55	°C
Declared load profile for water heating			
Seasonal space heating energy efficiency class, average climate:	A++	A++	
Water heating energy efficiency class, average climate:			
Rated heat output, average climate:	8,2	7,0	kW
Annual energy consumption for space heating, average climate	3882	4447	kWh
Annual electricity consumption for water heating, average climate			kWh
Seasonal space heating energy efficiency, average climate:	172	127	%
Water heating energy efficiency, average climate:			%
Sound power level LWA indoors	35		dB
Rated heat output, cold climate:	9,0	10,0	kW
Rated heat output, warm climate:	8,0	8,0	kW
Annual energy consumption for space heating, cold climate	6264	8844	kWh
Annual electricity consumption for water heating, cold climate			kWh
Annual energy consumption for space heating, warm climate	1879	2333	kWh
Annual electricity consumption for water heating, warm climate			kWh
Seasonal space heating energy efficiency, cold climate:	139	108	%
Water heating energy efficiency, cold climate:			%
Seasonal space heating energy efficiency, warm climate:	225	180	%
Water heating energy efficiency, warm climate:			%
Sound power level LWA outdoors	55		dB

Data for package fiche

Controller class	VI		
Controller contribution to efficiency	4,0		%
Seasonal space heating energy efficiency of package, average climate:	176	131	%
Seasonal space heating energy efficiency class for package, average climate:	A+++	A++	%
Seasonal space heating energy efficiency of package, cold climate:	143	112	%
Seasonal space heating energy efficiency of package, warm climate:	229	184	%

Model(s):		AMS 10-8 + SHB10-12										
Type of heat source/sink:		Air-to-water										
Low-temperature heat pump:		No										
Equipped with supplementary heater:		Yes										
Heat pump combination heater:		Yes										
Climate condition:		Average										
Temperature application:		Medium temperature (55 °C)										
Applied standards: EN14825, EN16147												
Rated heat output		Prated	7,0	kW	Seasonal space heating energy efficiency		η_s	127	%			
<i>Declared capacity for part load at outdoor temperature Tj</i>				<i>Declared coefficient of performance for part load at outdoor temperature Tj</i>								
Tj = -7 °C	Pdh	6,3	kW	Tj = -7 °C	COPd	1,94	-					
Tj = +2 °C	Pdh	3,9	kW	Tj = +2 °C	COPd	3,11	-					
Tj = +7 °C	Pdh	2,6	kW	Tj = +7 °C	COPd	4,42	-					
Tj = +12 °C	Pdh	3,7	kW	Tj = +12 °C	COPd	5,93	-					
Tj = biv	Pdh	6,6	kW	Tj = biv	COPd	1,83	-					
Tj = TOL	Pdh	5,9	kW	Tj = TOL	COPd	1,86	-					
Tj = -15 °C (if TOL < -20 °C)	Pdh		kW	Tj = -15 °C (if TOL < -20 °C)	COPd		-					
Bivalent temperature				T _{biv}	-8,6	°C	Operation limit temperature			TOL	-10	°C
Cycling interval capacity for heating				P _{cyh}		kW	Cycling interval efficiency			COP _{cyh}		-
Degradation co-efficient				C _{dh}	0,97	-	Heating water operating limit			WTOL	58	°C
<i>Power consumption in modes other than active mode</i>				<i>Supplementary heater</i>								
Off mode		P _{OFF}	0,002	kW	Rated heat output		P _{sup}	1,1	kW			
Thermostat-off mode		P _{TO}	0,01	kW								
Standby mode		P _{SB}	0,015	kW	Type of energy input		Electric					
Crankcase heater mode		P _{CK}	0,03	kW								
<i>Other items</i>												
Capacity control		variable		Rated air flow rate, outdoors			3000	m ³ /h				
Sound power level, indoors/outdoors		L _{WA}	35/55	dB	Rated water flow rate, indoor heat exchanger			0,60	m ³ /h			
Annual energy consumption		Q _{HE}	4447	kWh	Rated brine or water flow rate, outdoor heat exchanger				m ³ /h			
<i>For heat pump combination heater:</i>												
Declared load profile				Water heating energy efficiency				η_{wh}		%		
Daily electricity consumption				Q _{elec}		kWh	Daily fuel consumption		Q _{fuel}		kWh	
Annual electricity consumption				AEC		kWh	Annual fuel consumption		AFC		GJ	
Approved by:												
Contact details		TIKI HVAC d.o.o., Partizanska cesta 12, 3320 Velenje, Slovenia										